

		DATE
	<u>Water Supply</u>	
YES/NO	A. Meter to be removed.	_____
YES/NO	B. Meter to remain and be protected.	_____
YES/NO	C. Private well* or Monitoring Well,	_____
	___ To be filled and capped	_____
	___ To be used for other purposes	_____
	<u>Sanitary Sewer</u>	
YES/NO	A. Sewer to be capped	_____
YES/NO	B. Existing line to remain and be used by new structure.	_____
	Note: Contact Public Works for other required permits	
	<u>Septic System</u>	
YES/NO	A. Tank to be removed*	_____
YES/NO	B. Tank to be drained and filled*	_____
	<u>Electrical Supply</u>	
YES/NO	Electricity to be shut-off and meter removed*.	_____
	<u>Gas/Oil</u>	
YES/NO	A. Gas to be shut-off and meter removed*.	_____
YES/NO	B. Remove fuel or oil tanks. Complete underground/above ground storage tank closure checklist.	_____
	<u>Existing Foundation</u>	
YES/NO	A. Foundations destroyed and removed	_____
YES/NO	B. Basement - Destroyed or filled	_____
YES/NO	C. All debris removed from site - lot to be restored to original condition.	_____
	<u>Fire Information</u>	
YES/NO	Fire alarm system removal?	_____
YES/NO	Fire alarm system partial removal?	_____
YES/NO	Fire Sprinkler system removal?	_____
YES/NO	Fire Sprinkler system partial removal?	_____
YES/NO	Knox'Box to be removed?	_____

Water capped off at City shut off (corporation stop) City side of meter

Abandon sewer out to property line-see attached S-14 for City standard criteria


REQUIRED DOCUMENTATION

1. Anticipated demolition date
2. Tree Removal Proposed Yes No
3. Ensure all Demolition Check List items are clearly shown and noted on two (2) copies of the site plan.
4. Asbestos Abatement: Obtain approval from San Joaquin Valley Air Pollution District prior to proceeding with this demolition.

City Of Merced Building Department (209) 385-6861

City of Merced Public Works Department (209) 385-6800

PERMANENT ABANDONMENT - LATERAL CAP AT MAIN




1. IF LATERAL IS ORANGBURG MATERIAL OR IS IN POOR CONDITION, SADDLE OR CAP MUST BE INSTALLED AT **MAIN**.
2. IF LATERAL MATERIAL IS CAST IRON OR VCP WITH NEOPRENE SEALS, THE CAP MAY BE INSTALLED AT PROPERTY LINE.

A separate encroachment permit is required for condition 1.
*If located in or across a public way, work must be performed by an "A" Licensed Contractor

TEMPORARY ABANDONMENT - LATERAL CAP AT PROPERTY LINE

APPROVED PLUG W/NEOPRENE OR RUBBER SEAL - NO CONCRETE ALLOWED.



- 1; CAP AT PROPERTY LINE WILL BE ALLOWED IF THE LATERAL IS IN GOOD CONDITION AND IF IT WILL BE USED IN IMMEDIATE FUTURE ON AN ACTIVE PROJECT.
2. SKETCH OF CAPPED LATERAL WITH MEASUREMENTS FROM STREET CENTERLINE AND FROM NEAREST MANHOLE SHALL BE PROVIDED TO ENGINEERING DEPARTMENT.
3. NOTES 1 & 2 FOR PERMANENT ABANDONMENT APPLY TO TEMPORARY CAPS ALSO.

ENGINEERING DEPARTMENT

CITY OF MERCED, CALIF.

SEWER LATERAL ABANDONMENT

APPROVED BY:	<i>[Signature]</i>
ENG.	CITY ENGINEER
REVISID	CITY

DATE
6-11-14

S 14

SHEET OF