

APPENDIX D

Noise Modeling Data

Fleet Distribution (by Vehicle Type and Temporal) for Non-Project Traffic under Existing, Baseline 2010 Conditions, and Baseline 2030 Conditions

Caltrans Vehicle Type Distribution

Highway Segment	Vehicle AADT Total	Truck AADT Total (by # of axles)			
		2	3	4	5+
State Route 140	9700	91	157	27	74

The fleet distribution (i.e., vehicle type) is based on Caltrans vehicle counts along SR 140 west of Santa Fe Avenue. California Department of Transportation (Caltrans). 2006 (November). *2005 Annual Average Daily Truck Traffic on the California State Highway System*. Available at <<http://traffic-counts.dot.ca.gov/truck2005final.pdf>>.

This distribution of vehicle type is used for all roadway segments in the traffic study area of the project.

Default TNM Fleet Distribution

	Day	Evening	Night	Total
Autos	75.51	12.57	9.34	97.42
Medium Trucks	1.56	0.09	0.19	1.84
Heavy Trucks	0.64	0.02	0.08	0.74
Total (Temporal Distr)	77.71	12.68	9.61	100.00

The temporal distribution is based on the default distribution of the TNM model.

Temporal and Fleet Distribution used in TNM for Traffic Noise Estimates

Auto				Medium Truck				Heavy Truck				Tot.%
Total	day	eve	night	Total	day	eve	night	Total	day	eve	night	(cross chk)
96.40	74.721	12.439	9.242	0.94	0.795	0.046	0.097	2.66	2.300	0.072	0.288	100.00

Temporal Distributon of Employee Trips (in passenger vehicles)

Number of Employees by Shift (according to Project Description)

Tuesday-Friday 5:30 a.m.-4:00 p.m.	359
Tuesday-Friday 4:00 p.m.-2:30 a.m.	255
Tuesday-Friday 9:00 p.m.-7:30 a.m.	19
Sat-Mon 5:30 a.m.-4:00 p.m., plus another designated 6-hr day	282
Sat-Mon 4:00 p.m.-2:30 a.m., plus another designated 6-hr day	272
Sat-Mon 9:00 p.m.-7:30 a.m., plus another designated 6-hr day	13
Total Employees	1,200

This temporal distribution is used for the employee commute trips in passenger vehicles generated by the project.

Hourly Distribution of Employee Commute Trips According to Shift Change Times

Hr of Day	Tuesday - Friday			Saturday - Monday			Summary	
	Arrival	Depature	TNM Split	Arrival	Depature	TNM Split	Weekly Tot.	%
0:00								
1:00								
2:00		255			272			
3:00								
4:00								
5:00	359			282				
6:00			<u>Daytime</u>			<u>Daytime</u>	<u>Daytime (7AM - 7PM)</u>	
7:00		19	633		13	567	1200	50%
8:00								
9:00								
10:00								
11:00								
12:00								
13:00								
14:00								
15:00	255			272				
16:00		359			282			
17:00								
18:00								
19:00			<u>Evening</u>			<u>Evening</u>	<u>Evening (7PM - 10 PM)</u>	
20:00	19		19	13		13	32	1%
21:00								
22:00			<u>Night</u>			<u>Night</u>	<u>Night (10PM - 7AM)</u>	
23:00			614			554	1168	49%
<u>Total/Crosscheck</u>								
Trips							%	
2400							100%	

Summary of Truck Counts at Truck Gate at Apple Valley Facility on

Time	# Trucks		
	Ingress	Egress	Total for Hour
0:00	6	5	11
1:00	5	4	9
2:00	4	2	6
3:00	3	4	7
4:00	5	5	10
5:00	14	5	19
6:00	16	10	26
7:00	23	9	32
8:00	22	15	37
9:00	20	28	48
10:00	22	20	42
11:00	26	21	47
12:00	25	17	42
13:00	19	15	34
14:00	19	11	30
15:00	28	20	48
16:00	16	9	25
17:00	17	24	41
18:00	14	9	23
19:00	24	20	44
20:00	9	12	21
21:00	11	4	15
22:00	10	5	15
23:00	7	4	11
Daily Total	365	278	643

The above data was also used to estimate the temporal distribution of truck emissions in the Health Risk Assessment.

Consolidated Summary for TNM

	Daily Total/ Crosscheck	Day (7am - 7pm)	Evening (7pm - 10pm)	Night (10pm - 7am)
Number of Trucks	643	449	80	114
% of Daily Trucks	100%	53%	13%	34%

SR140 between SR99 and Parsons Avenue

Existing Conditions

RUN NAME: SR140 BTWN SR99 AND PARSONS AVE RUN DATE: 28 FEBRUARY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 12300 SPEED: 35 ACTIVE HALF WIDTH (FT): 12
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 67.84586334228516

DO YOU WANT A HARD COPY? (Y/N)

SR140 between SR99 and Parsons Avenue

Baseline 2010 No Project Conditions

RUN NAME: SR140 BTWN SR99 AND PARSONS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 19500 SPEED: 35 ACTIVE HALF WIDTH (FT): 12
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 69.83570098876953

DO YOU WANT A HARD COPY? (Y/N)

SR140 between SR99 and Parsons Avenue

Baseline 2010 + Project

RUN NAME: SR140 BTWN SR99 AND PARSONS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.30	12.32	9.49
M-TRUCKS		
0.79	0.05	0.10
H-TRUCKS		
2.45	0.11	0.40

ADT: 19705 SPEED: 35 ACTIVE HALF WIDTH (FT): 12
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.47219085693359

DO YOU WANT A HARD COPY? (Y/N)

SR140 between SR99 and Parsons Avenue

Baseline 2030 No Project Conditions

RUN NAME: SR140 BTWN SR99 AND PARSONS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 19700 SPEED: 35 ACTIVE HALF WIDTH (FT): 12
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 69.88001251220703

DO YOU WANT A HARD COPY? (Y/N)

SR140 between SR99 and Parsons Avenue

Baseline 2030 + Project

RUN NAME: SR140 BTWN SR99 AND PARSONS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.30	12.32	9.49
M-TRUCKS		
0.79	0.05	0.10
H-TRUCKS		
2.45	0.11	0.40

ADT: 19905 SPEED: 35 ACTIVE HALF WIDTH (FT): 12
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.51605224609375

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: SR140 BTWN PARSONS AVE AND SANTA FE AVE RUN DATE:
28 FEBRUARY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 9300 SPEED: 40 ACTIVE HALF WIDTH (FT): 12
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 67.83248901367188

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: SR140 BTWN PARSONS AVE AND SANTA FE AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 15500 SPEED: 40 ACTIVE HALF WIDTH (FT): 12
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.03975677490234

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: SR140 BTWN PARSONS AVE AND SANTA FE AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
-----	---------	-------

---	-----	----
AUTOS		
74.34	12.36	9.31
M-TRUCKS		
0.79	0.05	0.10
H-TRUCKS		
2.51	0.13	0.43

ADT: 15607 SPEED: 40 ACTIVE HALF WIDTH (FT): 12
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.75669097900391

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: SR140 BTWN PARSONS AVE AND SANTA FE AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
-----	---------	-------

---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 15500 SPEED: 40 ACTIVE HALF WIDTH (FT): 12
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.03975677490234

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: SR140 BTWN PARSONS AVE AND SANTA FE AVE

RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY EVENING NIGHT

---	-----	----
AUTOS		
74.25	12.32	9.46
M-TRUCKS		
0.79	0.05	0.10
H-TRUCKS		
2.50	0.13	0.43

ADT: 15666 SPEED: 40 ACTIVE HALF WIDTH (FT): 12

SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE

CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.77957153320312

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: PARSONS AVE BTWN SR140 AND CHILDS AVE RUN DATE:
28 FEBRUARY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 4800 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 64.4642333984375

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: PARSONS AVE BTWN SR140 AND CHILDS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 8700 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 67.03553771972656

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: PARSONS AVE BTWN SR140 AND CHILDS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
-----	---------	-------

---	-----	----
AUTOS		
74.45	12.31	9.68
M-TRUCKS		
0.79	0.05	0.10
H-TRUCKS		
2.27	0.07	0.28

ADT: 8798 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 67.06760406494141

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: PARSONS AVE BTWN SR140 AND CHILDS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
-----	---------	-------

---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 8100 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 66.72520446777344

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: PARSONS AVE BTWN SR140 AND CHILDS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.60	12.39	9.43
M-TRUCKS		
0.79	0.05	0.10
H-TRUCKS		
2.29	0.07	0.29

ADT: 8139 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 66.76521301269531

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: PARSONS AVE BTWN CHILDS AVE AND GERARD AVE RUN DATE:
01 MARCH 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 4600 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 63.41624069213867

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: PARSONS AVE BTWN CHILDS AVE AND GERARD AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 9900 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 67.59667205810547

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: PARSONS AVE BTWN CHILDS AVE AND GERARD AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY EVENING NIGHT

---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 9900 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 67.60806274414062

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: PARSONS AVE BTWN CHILDS AVE AND GERARD AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY EVENING NIGHT

---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 9800 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 67.55258178710938

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: PARSONS AVE BTWN CHILDS AVE AND GERARD AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY EVENING NIGHT

---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 9800 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 67.56396484375

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: CHILDS AVE BTWN SR99 AND PARSONS AVE RUN DATE:
01 MARCH 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 10700 SPEED: 35 ACTIVE HALF WIDTH (FT): 12
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 66.44566345214844

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: CHILDS AVE BTWN SR99 AND PARSONS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 23000 SPEED: 35 ACTIVE HALF WIDTH (FT): 12
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.55260467529297

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: CHILDS AVE BTWN SR99 AND PARSONS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
-----	---------	-------

---	-----	----
AUTOS		
74.55	12.36	9.51
M-TRUCKS		
0.79	0.05	0.10
H-TRUCKS		
2.28	0.07	0.29

ADT: 23158 SPEED: 35 ACTIVE HALF WIDTH (FT): 12
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.60243225097656

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: CHILDS AVE BTWN SR99 AND PARSONS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
-----	---------	-------

---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 29800 SPEED: 35 ACTIVE HALF WIDTH (FT): 12
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 71.67744445800781

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: CHILDS AVE BTWN SR99 AND PARSONS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.59	12.38	9.45
M-TRUCKS		
0.79	0.05	0.10
H-TRUCKS		
2.29	0.07	0.29

ADT: 29958 SPEED: 35 ACTIVE HALF WIDTH (FT): 12
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 71.72086334228516

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: CHILDS AVE BTWN PARSONS AVE AND COFFEE ST RUN DATE:
01 MARCH 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 6000 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 64.57012939453125

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: CHILDS AVE BTWN PARSONS AVE AND COFFEE ST RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 16500 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 69.81507873535156

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: CHILDS AVE BTWN PARSONS AVE AND COFFEE ST RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
-----	---------	-------

---	-----	----
AUTOS		
74.34	12.27	9.84
M-TRUCKS		
0.78	0.05	0.10
H-TRUCKS		
2.27	0.07	0.28

ADT: 16756 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 69.87550354003906

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: CHILDS AVE BTWN PARSONS AVE AND COFFEE ST RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
-----	---------	-------

---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 23500 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 71.35086059570312

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: CHILDS AVE BTWN PARSONS AVE AND COFFEE ST

RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.52	12.35	9.57
M-TRUCKS		
0.79	0.05	0.10
H-TRUCKS		
2.28	0.07	0.29

ADT: 23697 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 71.41165161132812

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: CHILDS AVE BTWN COFFEE ST AND KIBBY RD RUN DATE:
01 MARCH 2007

TRAFFIC DISTRIBUTION PERCENTAGES			
DAY	EVENING	NIGHT	
---	-----	-----	
AUTOS			
74.72	12.44	9.24	
M-TRUCKS			
0.80	0.05	0.10	
H-TRUCKS			
2.30	0.07	0.29	

ADT: 4000 SPEED: 55 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 67.00989532470703

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: CHILDS AVE BTWN COFFEE ST AND KIBBY RD RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES			
DAY	EVENING	NIGHT	
---	-----	-----	
AUTOS			
74.72	12.44	9.24	
M-TRUCKS			
0.80	0.05	0.10	
H-TRUCKS			
2.30	0.07	0.29	

ADT: 9500 SPEED: 55 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 71.61817932128906

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: CHILDS AVE BTWN COFFEE ST AND KIBBY RD RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
73.97	12.10	10.44
M-TRUCKS		
0.77	0.04	0.09
H-TRUCKS		
2.23	0.07	0.28

ADT: 9798 SPEED: 55 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 71.79998779296875

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: CHILDS AVE BTWN COFFEE ST AND KIBBY RD RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 13100 SPEED: 55 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 73.01361083984375

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: CHILDS AVE BTWN COFFEE ST AND KIBBY RD RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.35	12.27	9.83
M-TRUCKS		
0.78	0.05	0.10
H-TRUCKS		
2.27	0.07	0.28

ADT: 13297 SPEED: 55 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 73.09977722167969

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: COFFEE ST BTWN BAKER DR AND CHILDS AVE RUN DATE:
01 MARCH 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 2800 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 61.26031875610352

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: COFFEE ST BTWN BAKER DR AND CHILDS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 5900 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 65.34892272949219

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: COFFEE ST BTWN BAKER DR AND CHILDS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.55	12.36	9.52
M-TRUCKS		
0.79	0.05	0.10
H-TRUCKS		
2.28	0.07	0.29

ADT: 5942 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 65.40065002441406

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: COFFEE ST BTWN BAKER DR AND CHILDS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 4900 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 64.54239654541016

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: COFFEE ST BTWN BAKER DR AND CHILDS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 4900 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 64.55377960205078

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: COFFEE ST BTWN CHILDS AVE AND GERARD AVE RUN DATE:
01 MARCH 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 2000 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 59.79909515380859

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: COFFEE ST BTWN CHILDS AVE AND GERARD AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 11100 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 68.09353637695312

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: COFFEE ST BTWN CHILDS AVE AND GERARD AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
-----	---------	-------

---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 11100 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 68.10491943359375

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: COFFEE ST BTWN CHILDS AVE AND GERARD AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
-----	---------	-------

---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 17500 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.07061004638672

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: COFFEE ST BTWN CHILDS AVE AND GERARD AVE

RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY EVENING NIGHT

---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 17500 SPEED: 35 ACTIVE HALF WIDTH (FT): 6

SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE

CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.08199310302734

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: GERARD AVE BTWN PARSONS AVE AND COFFEE ST RUN DATE:
01 MARCH 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 700 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 55.23994064331055

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: GERARD AVE BTWN PARSONS AVE AND COFFEE ST RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 3700 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 63.32249450683594

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: GERARD AVE BTWN PARSONS AVE AND COFFEE ST RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 3700 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 63.33388137817383

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: GERARD AVE BTWN PARSONS AVE AND COFFEE ST RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 4800 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 64.45285034179688

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: GERARD AVE BTWN PARSONS AVE AND COFFEE ST

RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY EVENING NIGHT

---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 4800 SPEED: 35 ACTIVE HALF WIDTH (FT): 6

SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE

CNEL AT 50 FT FROM CL WITHOUT BARRIER: 64.4642333984375

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: GERARD AVE BTWN COFFEE ST AND CAMPUS PKWY RUN DATE:
01 MARCH 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 300 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 53.84856796264648

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: GERARD AVE BTWN COFFEE ST AND CAMPUS PKWY RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 1500 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 61.68980407714844

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: GERARD AVE BTWN COFFEE ST AND CAMPUS PKWY RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 1500 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 61.70069122314453

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: GERARD AVE BTWN COFFEE ST AND CAMPUS PKWY RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 8900 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 69.42251586914062

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: GERARD AVE BTWN COFFEE ST AND CAMPUS PKWY

RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY EVENING NIGHT

---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 8900 SPEED: 45 ACTIVE HALF WIDTH (FT): 6

SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE

CNEL AT 50 FT FROM CL WITHOUT BARRIER: 69.43340301513672

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: KIBBY RD BTWN SR140 AND COFFEE ST RUN DATE: 01 MARCH 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 1400 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 60.53839492797852

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: KIBBY RD BTWN SR140 AND COFFEE ST RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 4500 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 66.46084594726562

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: KIBBY RD BTWN SR140 AND COFFEE ST RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 4500 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 66.47173309326172

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: KIBBY RD BTWN SR140 AND COFFEE ST RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 10700 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.22241973876953

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: KIBBY RD BTWN SR140 AND COFFEE ST RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 10700 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.23331451416016

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: CHILDS AVE BTWN KIBBY RD AND TOWER RD RUN DATE:
01 MARCH 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 2500 SPEED: 55 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 64.96876525878906

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: CHILDS AVE BTWN KIBBY RD AND TOWER RD RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 6000 SPEED: 55 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 69.62252807617188

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: KIBBY RD BTWN SR140 AND COFFEE ST RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 6000 SPEED: 55 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 69.6329345703125

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: CHILDS AVE BTWN KIBBY RD AND TOWER RD RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 12400 SPEED: 55 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 72.77512359619141

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: CHILDS AVE BTWN KIBBY RD AND TOWER RD RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY EVENING NIGHT

---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 12400 SPEED: 55 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 72.7855224609375

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: BAKER DR BTWN SR140 AND COFFEE ST RUN DATE: 01 MARCH 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 1800 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 59.34153366088867

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: BAKER DR BTWN SR140 AND COFFEE ST RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 5100 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 64.71613311767578

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: BAKER DR BTWN SR140 AND COFFEE ST RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.52	12.35	9.56
M-TRUCKS		
0.79	0.05	0.10
H-TRUCKS		
2.28	0.07	0.29

ADT: 5142 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 64.77545166015625

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: BAKER DR BTWN SR140 AND COFFEE ST RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 10200 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 67.726318359375

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: BAKER DR BTWN SR140 AND COFFEE ST RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 10200 SPEED: 35 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 67.73770141601562

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: TOWER RD BTWN CHILDS AVE AND GERARD AVE RUN DATE:
01 MARCH 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 200 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 52.08771896362305

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: TOWER RD BTWN CHILDS AVE AND GERARD AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 300 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 54.70035171508789

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: TOWER RD BTWN CHILDS AVE AND GERARD AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
54.97	5.21	30.78
M-TRUCKS		
0.28	0.02	0.03
H-TRUCKS		
4.93	1.03	2.74

ADT: 838 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 65.15599060058594

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: TOWER RD BTWN CHILDS AVE AND GERARD AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 300 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 54.70035171508789

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: TOWER RD BTWN CHILDS AVE AND GERARD AVE

RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
59.59	5.64	33.37
M-TRUCKS		
0.31	0.02	0.04
H-TRUCKS		
0.89	0.03	0.11

ADT: 773 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 59.39652633666992

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: TOWER RD BTWN SR140 AND CHILDS AVE RUN DATE: 01 MARCH 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 100 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 49.0775260925293

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: TOWER RD BTWN SR140 AND CHILDS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 200 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 52.93950271606445

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: TOWER RD BTWN SR140 AND CHILDS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
52.41	4.37	32.95
M-TRUCKS		
0.23	0.01	0.03
H-TRUCKS		
5.55	1.22	3.23

ADT: 703 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL **AT 50 FT** FROM CL WITHOUT BARRIER: 64.11972808837891

DO YOU WANT A HARD COPY? (Y/N)

RUN NAME: TOWER RD BTWN SR140 AND CHILDS AVE RUN DATE: 11 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
52.41	4.37	32.95
M-TRUCKS		
0.23	0.01	0.03
H-TRUCKS		
5.55	1.22	3.23

ADT: 703 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL **AT 75 FT** FROM CL WITHOUT BARRIER: 61.43069458007812

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: TOWER RD BTWN SR140 AND CHILDS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 300 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE

CNEL AT 50 FT FROM CL WITHOUT BARRIER: 54.70035171508789

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: TOWER RD BTWN SR140 AND CHILDS AVE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
60.05	5.85	32.64
M-TRUCKS		
0.32	0.02	0.04
H-TRUCKS		
0.94	0.03	0.12

ADT: 738 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE

CNEL AT 50 FT FROM CL WITHOUT BARRIER: 59.19247817993164

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: SR140 BTWN SANTA FE AVE AND KIBBY RD RUN DATE:
01 MARCH 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 7900 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 68.05311584472656

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: SR140 BTWN SANTA FE AVE AND KIBBY RD RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 7900 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 68.90489959716797

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: SR140 BTWN SANTA FE AVE AND KIBBY RD RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
73.85	12.22	9.59
M-TRUCKS		
0.78	0.05	0.10
H-TRUCKS		
2.68	0.18	0.56

ADT: 8052 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.14003753662109

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: SR140 BTWN SANTA FE AVE AND KIBBY ROD RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 12000 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.72038269042969

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: SR140 BTWN SANTA FE AVE AND KIBBY ROD RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.54	12.36	9.53
M-TRUCKS		
0.79	0.05	0.10
H-TRUCKS		
2.28	0.07	0.29

ADT: 12087 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.77812957763672

DO YOU WANT A HARD COPY? (Y/N)

Existing Conditions

RUN NAME: SR140 BTWN KIBBY RD AND TOWER ROAD RUN DATE: 01 MARCH 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 7400 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 67.76917266845703

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: SR140 BTWN KIBBY RD AND TOWER ROAD RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 9700 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 69.79631805419922

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: 12.21 RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
73.59	12.07	10.22
M-TRUCKS		
0.77	0.04	0.09
H-TRUCKS		
2.57	0.15	0.50

ADT: 10028 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE

CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.88407135009766

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: SR140 BTWN KIBBY RD AND TOWER ROAD RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 13300 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE

CNEL AT 50 FT FROM CL WITHOUT BARRIER: 71.16706848144531

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: 12.21 RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.24	12.22	10.01
M-TRUCKS		
0.78	0.04	0.09
H-TRUCKS		
2.26	0.07	0.28

ADT: 13563 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 71.25581359863281

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: PROPOSED CAMPUS PKWY BTWN GERARD AVE AND COFFEE ST
RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES
DAY EVENING NIGHT

---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 2100 SPEED: 35 ACTIVE HALF WIDTH (FT): 24
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 59.08477783203125

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: PROPOSED CAMPUS PKWY BTWN GERARD AVE AND COFFEE ST
RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES
DAY EVENING NIGHT

---	-----	----
AUTOS		
56.27	7.49	18.35
M-TRUCKS		
0.46	0.03	0.06
H-TRUCKS		
9.70	2.10	5.54

ADT: 3660 SPEED: 35 ACTIVE HALF WIDTH (FT): 24
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.44304656982422

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: PROPOSED CAMPUS PKWY BTWN GERARD AVE AND COFFEE ST
RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 22900 SPEED: 35 ACTIVE HALF WIDTH (FT): 24
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 69.46055603027344

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: PROPOSED CAMPUS PKWY BTWN GERARD AVE AND COFFEE ST
RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.24	12.28	9.65
M-TRUCKS		
0.78	0.05	0.10
H-TRUCKS		
2.42	0.11	0.38

ADT: 23221 SPEED: 35 ACTIVE HALF WIDTH (FT): 24
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 70.03177642822266

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: PROPOSED CAMPUS PKWY BTWN CHILDS AVE AND GERARD AVE
RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES
DAY EVENING NIGHT

---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 2200 SPEED: 35 ACTIVE HALF WIDTH (FT): 24
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 59.28680419921875

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: PROPOSED CAMPUS PKWY BTWN CHILDS AVE AND GERARD AVE
RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES
DAY EVENING NIGHT

---	-----	----
AUTOS		
71.77	11.11	13.95
M-TRUCKS		
0.70	0.04	0.09
H-TRUCKS		
2.03	0.06	0.25

ADT: 2498 SPEED: 35 ACTIVE HALF WIDTH (FT): 24
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 59.84223556518555

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: PROPOSED CAMPUS PKWY BTWN CHILDS AVE AND GERARD AVE
RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 17400 SPEED: 35 ACTIVE HALF WIDTH (FT): 24
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL **AT 50 FT** FROM CL WITHOUT BARRIER: 68.26773834228516

DO YOU WANT A HARD COPY? (Y/N)

RUN NAME: PROPOSED CAMPUS PKWY BTWN CHILDS AVE AND GERARD AVE
RUN DATE: 11 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 17400 SPEED: 35 ACTIVE HALF WIDTH (FT): 24
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL **AT 288 FT** FROM CL WITHOUT BARRIER: 57.57229232788086

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: PROPOSED CAMPUS PKWY BTWN CHILDS AVE AND GERARD AVE
RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
71.16	11.48	11.00
M-TRUCKS		
0.73	0.04	0.09
H-TRUCKS		
3.73	0.46	1.30

ADT: 18960 SPEED: 35 ACTIVE HALF WIDTH (FT): 24
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL **AT 50 FT** FROM CL WITHOUT BARRIER: 72.29221343994141

DO YOU WANT A HARD COPY? (Y/N)

RUN NAME: PROPOSED CAMPUS PKWY BTWN CHILDS AVE AND GERARD AVE
RUN DATE: 11 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
71.16	11.48	11.00
M-TRUCKS		
0.73	0.04	0.09
H-TRUCKS		
3.73	0.46	1.30

ADT: 18960 SPEED: 35 ACTIVE HALF WIDTH (FT): 24
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL **AT 288 FT** FROM CL WITHOUT BARRIER: 61.58540725708008

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: GERARD AVE BTWN CAMPUS PKWY AND SITE ENTRANCE
RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 600 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 57.71054458618164

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: GERARD AVE BTWN CAMPUS PKWY AND SITE ENTRANCE RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
44.26	3.73	27.58
M-TRUCKS		
0.19	0.01	0.02
H-TRUCKS		
13.05	3.08	8.08

ADT: 2458 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL **AT 50 FT** FROM CL WITHOUT BARRIER: 72.87919616699219

DO YOU WANT A HARD COPY? (Y/N)

RUN NAME: GERARD AVE BTWN CAMPUS PKWY AND SITE ENTRANCE RUN DATE: 11 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----

AUTOS		
44.26	3.73	27.58
M-TRUCKS		
0.19	0.01	0.02
H-TRUCKS		
13.05	3.08	8.08

ADT: 2458 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
 CNEL **AT 95 FT** FROM CL WITHOUT BARRIER: 68.62528991699219

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: GERARD AVE BTWN CAMPUS PKWY AND SITE ENTRANCE
 RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES		
DAY	EVENING	NIGHT
---	-----	-----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 1400 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
 SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
 CNEL AT 50 FT FROM CL WITHOUT BARRIER: 61.39017868041992

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: GERARD AVE BTWN CAMPUS PKWY AND SITE ENTRANCE
RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
51.91	6.32	20.51
M-TRUCKS		
0.38	0.02	0.05
H-TRUCKS		
11.45	2.58	6.78

ADT: 2961 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 73.80768585205078

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 No Project Conditions

RUN NAME: GERARD AVE BTWN SITE ENTRANCE AND TOWER RD
RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES
DAY EVENING NIGHT

---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 600 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 57.71054458618164

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2010 + Project

RUN NAME: GERARD AVE BTWN SITE ENTRANCE AND TOWER RD RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES
DAY EVENING NIGHT

---	-----	----
AUTOS		
60.18	7.11	25.10
M-TRUCKS		
0.42	0.02	0.05
H-TRUCKS		
4.24	0.78	2.09

ADT: 1138 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 65.52759552001953

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 No Project Conditions

RUN NAME: GERARD AVE BTWN SITE ENTRANCE AND TOWER RD
RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
74.72	12.44	9.24
M-TRUCKS		
0.80	0.05	0.10
H-TRUCKS		
2.30	0.07	0.29

ADT: 800 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 58.95988845825195

DO YOU WANT A HARD COPY? (Y/N)

Baseline 2030 + Project

RUN NAME: GERARD AVE BTWN SITE ENTRANCE AND TOWER RD
RUN DATE: 10 JULY 2007

TRAFFIC DISTRIBUTION PERCENTAGES

DAY	EVENING	NIGHT
---	-----	----
AUTOS		
46.10	4.77	23.37
M-TRUCKS		
0.27	0.02	0.03
H-TRUCKS		
13.79	3.22	8.44

ADT: 2363 SPEED: 45 ACTIVE HALF WIDTH (FT): 6
SITE CHARACTERISTICS: SOFT GRADE (PERCENT): .5

BARRIER TYPE:NONE
CNEL AT 50 FT FROM CL WITHOUT BARRIER: 73.70720672607422

DO YOU WANT A HARD COPY? (Y/N)